

LOW PRESSURE (BLUE FITTING)


HIGH PRESSURE (RED FITTING)

D/P SWITCH

GB6 ELECTRIC CONTROLLER

HYD.
PISTON

FLUSHING VALVE



OUTLET

SOLENOID VALVE
(ASCO)

FLUSH VALVE

VENT

WATER SUPPLY

INLET

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES
DECIMALS ANGULAR
.XX + .05 ± 0.5 DEG.
.XXX + .01

AUTOMATIC FILTERS, INC.

2672 S. LA CIENEGA BLVD.
LOS ANGELES, CA 90034
(310) 839-2828 FAX (310) 839-6878

TITLE

**MTF SETUP
with GB6
ASCO**

DRAWN
DMITRIY POLISHCHUK

DATE
9-29-04

CHECKED

SIZE
A

DWG NO.
MTF

REV
0

DESIGN

NOT SCALE

SHEET OF

E

D

C

B

A

REVISIONS			
ZONE REV	DESCRIPTION	DATE	APPROVED

HIGH PRESSURE (CENTER FITTING)

LOW PRESSURE (SIDE FITTING)

HYD
PISTON


FLUSHING VALVE

OUTLET

INLET

GB6 ELECTRIC CONTROLLER

D/P
SWITCH



SOLENOID VALVE
(BERMAD)
24VAC

V(3)

WATER SUPPLY

P(1) VENT

C(2) FLUSH VALVE

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES
DECIMALS ANGULAR
.XX +.05 ± 0.5 DEG.
.XXX +.01

AUTOMATIC FILTERS, INC.

2672 S. LA CIENEGA BLVD.
LOS ANGELES, CA 90034
(310) 839-2828 FAX (310) 839-6878

TITLE

MTF SETUP

with GB6

BERMAD SOLENOID(24VAC)

DRAWN
DMITRIY POLISHCHUK

DATE
9-29-04

CHECKED

DESIGN

SIZE

DWG NO.

REV

A


MTF Set-up

0

NOT SCALE

SHEET OF

REVISIONS			
ZONE REV	DESCRIPTION	DATE	APPROVED



OUTLET

INLET

WATER SUPPLY

P(3) = Water Supply
C(2) = To Valve
V(1) = Vent

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES DECIMALS ANGULAR .XX + .05 ± 0.5 DEG. .XXX + .01	
DRAWN DMITRIY POLISHCHUK	DATE 9-8-03
CHECKED	
DESIGN	

AUTOMATIC FILTERS, INC. 2672 S. LA CIENEGA BLVD. LOS ANGELES, CA 90034 (310) 839-2828 FAX (310) 839-6878		
TITLE MTF SETUP with GB5-B Latching Solenoid (12VDC)		
SIZE A	DWG NO. MTF	REV 0
NOT SCALE		SHEET OF

E
D
C
B
A